

INDEX MAPS.

T. 34 N. R. 3 W. 2nd Mer.

	88	88	88	87	87	87	87					
90	6	108	5	103	4	100	3	96	2	94	1	86
	108	108	102	100	96	93						
90	7	108	8	102	9	99	10	96	11	93	12	86
	107	107	102	99	95 1/2	93						
90	18	106	17	104	16	99	15	95	14	93	13	86
	106	106	101	98	95	92						
89	19	105	20	101	21	98	22	95	23	92	24	85
	105	105	101	97	95	91						
89	30	105	29	101	28	97	27	95	26	91	25	85
	104	104	101	97	94	91						
89	31	103	32	100	33	97	34	94	35	91	36	85
	84	84	84	83	83	83						

Meanders-109

T. 35 N. R. 3 W. 2nd Mer.

	119	118	118	117								
122	6	148	5	140	4	135	3	130	2	126	1	117
	147	147	140	134	130	126						
121	7	146	8	139	9	134	10	130	11	125	12	117
	146	146	138	134	129	125						
121	18	145	17	138	16	133	15	129	14	124	13	116
	144	144	138	133	128	124						
120	19	144	20	137	21	132	22	128	23	124	24	116
	143	142	137	132	128	123						
120	30	142	29	136	28	132	27	127	26	123	25	116
	141	141	136	131	127	122						
120	31	140	32	135	33	131	34	127	35	122	36	116
	115	115	114	114	114	114						

Meanders-148

83

Township 34 North Range 3 West 2nd Mer. Ind. "

C. L. South Boundary: (Var. 5.35 E.)

Met On the S. side of sec 36.

This Town corner is in a mound,

33.00 To point of timber.

37.00 Leave the " Do,

40.00 Set the gr. sec. cor. post from which
a W. Oak 12 in. dia. bears N 22 E 154 lks,
+ a Do. 9 " " " N 76 E 150.

80.00 Set a post cor. to secs. 35 & 36 from wh
a W. Oak 14 in. dia. bears N 2 E 650 lks. dist.
no other - Land flat & timbered with
Oak mostly soil from the

Met On the S. side of sec. 35,

35.00 Entered a Kankakee swamp

40.00 Set the gr. sec. cor. post from which
a Maple 10 in. dia. bears N 26 E 24 lks,
+ an Elm 20 " " " N 32 W 39 "

66.36 To left bank of Kankakee river SW,
a Birch 9 in. dia. bears N 53 E 198 lks,
+ a Do. 7 " " " N 67 E 196 " dist.

68.66 Over to Right bank & set post from wh,
a Y. Oak 18 in. dia. bears S 85 W 384 lks. dist.
+ a Do. 18 " " " N 81 W 340 " "

80.00 Set a post cor. to secs. 34 & 35 from wh,
a G. Oak 10 in. dia. bears N 11 E 83 lks. dist.
+ a Do. 9 " " " N 11 W 122 " "

Land on the E. side of river low & marshy
& the timber is Ash, Elm, Oak &c & on
the W. side 2nd rate Oak land &c

Met On the S. side of sec. 34

21.91 To a W. Oak 12 in. dia. in the line,

40.00 Set the gr. sec. cor. post from which

T. 34 N. R. 3 W. 2nd Mer. Ind^a

61.00	a W. Oak 7 in. dia. bears at 54 E 7 1/2 lbs. dia., 4 a Do. 12 " " " N 40 W 49 " "
52.00	Enter a wet prairie
80.00	Set a post cor. to sec. 33 & 34 - mound to be mound, Land level & 2 nd rate & the timber is G. & W. Oak & fir
West	On the S. side of sec. 33,
40.00	Set the gr. sec. cor. post - mound to be mound -
78.00	Enter Oak timber grove -
80.00	Set a post cor. to sec. 32 & 33 " G. Oak 12 in. dia. bears at 36 W 10 lbs. dia., 4 a W. Oak 6 " " " S 59 E 11 " " Land principally wet prairie & a few oaks on W. end soil 2 nd rate,
West	On the S. side of sec. 32,
8.00	Enter a wet prairie,
40.00	Set the 2 nd sec. cor. post, mound to be mound,
75.00	Enter oak grove,
80.00	Set a post cor. to sec. 31 & 32 from which a W. Oak 12 in. dia. bears at 1 E 76 lbs. dia., 4 a Do. 12 " " " N 40 W 86 " " Land &c is much as before. -
West	On the S. side of sec. 31,
5.00	Enter a wet prairie
40.00	Set the 2 nd sec. cor. post from which a G. Oak 9 in. dia. bears at 38 W 7 1/2 lbs. dia. no other -
82.23	To the W. boundary. 157 lbs. N. of Twp. 1

85

T. 34 N. R. 3 W. 2nd. Mer. Ind.

C. L. Set post cor. to Towns 33 & 34 N. Range 34 W.
 & a mound to be made. (when?)
 Land &c. is same as on last mile;
 Var 5° 35' E. — Jan. 14th 1834. —
 Surveyed by — Sylvester Sibley, Dep. Sur.

East Boundary, (Var. 5° 35' E.)

North On the E. side of sec. 36,
 39.00 Leave the wet prairie & enter swamp
 40.00 Set the gr. sec. cor. post from which
 a B. Oak 10 in. dia. bears S 20° W 30 ths,
 & a Do. 12 " " " N 26° W 16 " dia.
 80.00 Set a post cor. to sec. 25 & 36 from wh.
 a B. Ash 8 in. dia. bears S 9½° W 250 ths,
 & no other near
 Land flat & poor & the timber is Oak
 Ash, Elm, Maple &c

North On the E. side of sec. 25
 40.00 Set the gr. sec. cor. post from which
 a Y. Oak 8 in. dia. bears S 38° 9' 22" dia.
 50.00 Enter Oak land. — no other bearing,
 80.00 Set a post cor. to sec. 24 & 25 from wh.
 a Y. Oak 6 in. dia. bears S 5° W 16 ths dia.
 a W. Oak 20 " " " N 4° W 47 " "
 Land level & generally poor & the timber is Oak &c

North On the E. side of sec. 24
 35.00 Enter a marsh
 40.00 Set the gr. sec. cor. post from which
 a Willow 10 in. dia. bears S 7½° W 550 ths,
 67.00 Leave the marsh
 80.00 Set a post cor. to sec. 13 & 24
 a W. Oak 20 in. dia. bears S 27° W 75 ths dia.

T. 34 N. R. 3 W. 3^d Mer. Ind.

C. L.

& a W. Oak 10 in. dia., bears N 62° W 113 ft.
Land level & many soil poor & the timber
is Oak &c

North On the E. side of sec. 13,

20.25 To a W. Oak 24 in. dia. in the line
40.00 Set the gr. sur. cor. post from which
a B. Oak 6 in. dia., bears N 62° W 35 ft. dist.
& a Do. 6 " " " N 10° W 20 " "

43.00 Entered a swamp

66.70 Set a post on left bank of Kankakee River
a Maple 10 in. dia., bears S 75° E 10 ft. dist.
a Do. 4 " " " S 74° W 21 " "

69.50 Set a post on Right bank of river -
a W. Oak 9 in. dia., bears S 77° E 19 ft. dist.
& a B. Oak 6 " " " N 32° W 145 " "

80.00 Set a post cor. to sec. 12 & 13 from which
a B. ash 9 in. dia., bears S 21° W 55 ft.
Land level & swampy & the timber is
Maple Elm Ash Aspen & Willow &c

North On the E. side of sec. 12,

40.00 Set the gr. sur. cor. in water
too deep to raise a mound,

80.00 Set a post cor. to sec. 12 & 11 -
an Elm 6 in. dia., bears S 82° W 5 ft. dist.
& a Do. 10 " " " N 76° W 15 " "
Land &c. is same as on last mile,

North On the E. side of sec. 1,

40.00 Set the gr. sur. cor. post from which
an Aspen 10 in. dia., bears N 3° W 112 ft.
& a Do. 12 " " " N 78° E 27 "

80.00 Set a temporary town corner,

Co. L. Land &c is much the same
Var. 5th 35th E. - Jan'y 12th 1834,
Surveyed by Sylvester Sibley, D. S.

North Boundary. (Var. 5th 45th E.)
West On the S. side of sec. 36 T 35 N R 3 W
An aspen 6 in. dia. bears S 82 W 413 lks,
& a G. Oak 18 " " " S 49 E W 10.25 "
Land E. of prairie 2^d rate & the timber
is Oak. prairie is poor. &
40.00 Set the gr. sec. cor. post from which
a G. Oak 18 in. dia. bears S 86 E E 5 1/2 lks
& a W Oak 6 " " " N 89 1/2 E 6 11 "
46.50 To a Brook 20 lks. wide on. South,
80.00 Set a post cor. to sec. 35 & 36. in water
too deep to raise a mound,
Land is marshy & sec. 2^d rate & oak timber,

West On the S. side of sec. 35 T 35 N R 3 W
20.00 Leave the marsh
40.00 Set the gr. sec. cor. post from which
a G. Oak 12 in. dia. bears N 21 W 39 lks,
& a Do. 18 " " " " N 21 E 39 "
55.90 To a G. Oak 18 in. dia. in the hwy,
80.00 Set a post cor. to sec. 34 & 35 from wh.
a W Oak 20 in. dia. bears N 39 E 53 lks,
& a Do. 18 " " " " N 21 W 38 "
Land is rolling & 2^d rate & 3/4 W Oak timber,

West On the S. side of sec. 34 T 35 N R 3 W
25.65 To a W Oak 12 in. dia. in the hwy,
40.00 Set a post for 1/4 sec. cor. from which
a G. Oak 18 in. dia. bears N 58 E 177 lks. int,
& a Do. 18 " " " " West 177 " "

T, 34 N. R. 3 W. 2nd, New, Ind.

6.00
80.00 Set a post cor. to Sec. 33 & 34 —
a G. Oak 18 in. dia. bears N 63 E 53 ft.,
& a W. Oak 10 " " " N 79 W 38 " 80 ft.
Land &c is much the same as last mile

West On the S. side of sec. 33 & 35 N. R. 3 W.
18.96 To a Hickory 10 in. dia. in the line,
40.00 Set a gr. sec. cor. post from which
a G. Oak 12 in. dia. bears N 49 E 10 ft.,
& a Do. 9 " " " N 9 E W 13 " 80 ft.,
60.60 To a W. Oak 10 " " in the line,
61.00 Entered a wet prairie
80.00 Set a post cor. to Sec. 32 & 33,
a W. Oak 10 in. dia. bears N 47 W 18 ft.,
& a Do. 12 " " " " S 61 W 19 ft.
Land &c is same as on last mile,

West On the S. side of sec. 32 & 35 N. R. 3 W.
5.00 Leave the wet prairie
18.21 To a W. Oak 10 in. dia. in the line,
40.00 Set the gr. sec. cor. post from which
a G. Oak 14 in. dia. bears N 48 E 15 ft.,
& a W. Oak 10 " " " " N 74 W 57 "
63.50 To a Brook 6 ft. wide cor. south
78.50 Entered a wet prairie
80.00 Set a post cor. to Sec. 31 & 32 from which
a G. Oak 2 in. dia. bears N 73 E 22 ft.,
& a W. Oak 18 " " " " S 85 E 165 " "
Land &c is same as on last mile,

West On the S. side of sec. 31 & 35 N. R. 3 W.
29.00 Leave the wet prairie
40.00 Set the gr. sec. cor. post from which
a G. Oak 10 in. dia. bears N 16 E W 22 ft.

T. 34 N. R. 3 W. 2nd Mer. Ind.^a

61.50 & a G. Oak 10 in. dia. bears N 89 E 40 M.,
 63.00 Entered a wet prairie
 81.75 To the W. boundary of Town, 28 M. N. of post,
 Set post cor. of Town, 34 & 35 N. 16, 37 & 4 W.,
 mound to be made -
 Land &c. is much the same as last,
 Jan. 26th 1834 - (Var. 5° 45' E.)
 Surveyed by Sylvester Sibley, D. S. -

West Boundary (Var. 5° 35' E.)
 North On the E. side of sec. 30 T 34 N 16 W,
 40.00 Set a post cor. to sec. 25 & 36 from wh.,
 water too deep to raise a mound
 80.00 Set a post cor. to sec. 25 & 36 from wh.,
 no bearing - mound to be made,
 Land level & poor all wet prairie.

North On the E. side of sec. 25 T 34 N 16 W
 40.00 Set a gr. sec. cor. post from which
 no bearings, water too deep to raise mound
 80.00 Set a post cor. to sec. 24 & 25 from wh.,
 a W. Oak 10 in. dia. bears N 44 W 61 M. dia.
 & a G. Oak 9 " " " N 77 W 75 " "
 Land &c. much the same as last,
 January 15th 1834 -

North On the E. side of sec. 24 T 34 N 16 W
 50 Leave the wet prairie
 40.00 Set the gr. sec. cor. post from which
 a W. Oak - in. dia. bears N 49 W 18 M. dia.
 & a G. Oak 18 " " " N 69 W 14 " "
 80.00 Set a post cor. to sec. 13 & 24 from which
 a G. Oak 15 in. dia. bears N 63 W 20 M. dia.
 & a W. Oak 12 " " " N 79 W 27 " "

T. 34 N. R. 3 W. 2nd Mer. Ind.C. S.
80.00

Set a post cor. to sec. 13 & 24 from wh.
 a G. Oak 15 in. dia. bears S 63° W 20 ths. dist.
 & a W. Oak 12 " " " N 79½° W 29 " "
 Land level & 2nd rate & the timber, Oak

North

25.66

40.00

On the E. side of sec. 13 & 34 N 4 W,
 To a G. Oak 10 in. dia. in the line,
 set the gr. sec. cor. post from which
 a G. Oak 9 in. dia. bears N 40° W 13 ths. dist.
 & a Do. 9 " " " N 72½° W 105 " "

45.00

Entered a wet prairie

80.00

Set a post cor. to sec. 12 & 13 from wh.
 a W. Oak 20 in. dia. bears North 66° 00 ths.
 & a G. Oak 9 " " " N 6° W 626 dist.
 Land &c. is same as on last mile,

North

6.00

25.50

40.00

On the E. side of sec. 13 & 34 N 4 W
 Leave the wet prairie
 To a G. Oak 10 in. dia. in the line,
 set a gr. sec. cor. post from which
 a G. Oak 12 in. dia. bears N 4½° W 29 ths.
 & a Do. 12 " " " N 8° W 25 edits

80.00

Set a post cor. to sec. 1 & 12 from wh.
 a G. Oak 9 in. dia. bears N 60° W 54 ths. dist.
 & a Do. 9 " " " N 17° W 120 " "
 Land &c. is much the same as last,

North

40.00

On the E. side of sec. 1 & 34 N 4 W
 set the gr. sec. cor. post from which
 a G. Oak 9 in. dia. bears N 10° W 140 ths. dist.
 & a Do. 12 " " " N 49° W 140 " "

45.00

Entered wet prairie

80.00

Set a tumpy. town cor. T. 34 & 35 N. 3 & 4 W,
 Land &c. is same as on last mile,

T. 34 N. R. 3 W. 2nd Mer. Ind. ⁹¹

Co. L. Jan. 18th 1834. Surveyed by
Asphater Tibley. Dep. Sur,

Subdivisions. (Tav. 5th E.)

North Between sections 35 & 36.

33.00 To Hankakee River Set post on left bank
a Birch 11 in dia, heavy N 79¹/₂ W 43¹/₂ in. dia &
& a Red Oak 22 in dia, heavy N 70 E 70 " "

Land is nothing & 3rd rate & the timber is
Oak, Ash, Birch, Gum, W. Hone Whortleberry
& Sapafra June 7th 1834. Balance of line
is in the Hankakee River, —

East On Randome between sections 25 & 36
The whole of this line lies in the
Hankakee river,

North Between sections 25 & 26,
The whole of this line lies in the river

West On true line between sec, 24 & 25
From the cor. on the E. boundary,

14.72 To a W. Oak 10 in dia. in the line,

16.68 " " Do, 21 " " " " "

18.38 " " Do, 20 " " " " "

20.35 " " B. Oak 18 " " " " "

24.27 " " W. Oak 18 " " " " "

40.00 Set the gr. sec. cor. post from which
an Elm 10 in dia, heavy N 15 E 17 in. dia,
& a Br. Oak 10 " " " N 2 E 19 " "

42.00 Set post on left Hankakee river —

a Maple 12 in dia, heavy S 38 W 29 in.

& a Swamp Ash 12 " " " N 39 W 5 "

Land nearly level 2nd rate beautifully

T. 34 N. R. 3 W. 2^d Mer. Indⁿ

C. L. timbered. In fact it looks, very hard,
- some here to be so near the Kankakee,
the timber is Oak, &c, June 26th 1834

North Between sections 13 & 24
10.00 Over Kankakee set post on Right bank,
no bearings nor mound, water too
deep if we were away
36.00 To an Indian trail cor. N.E. & W.,
37.00 Enter grove
40.00 Set the gr. sec. cor, post from which
a W. Oak 10 in. dia, bears N 63 E 25 ths,
La. Do. 10 " " " N 88 W 51 "
44.30 To a B. Oak 4 " " in the line,
58.16 " " B. Oak 10 " " " " "
80.00 Set a post cor. to sec. 13, 14 & 23 & 24
on N. side of a grove,
a W. Oak 18 in. dia, bears N 66 E 138 ths,
La B. Oak 20 " " " S 30 E 11 445 "
Land level & third rate & mostly,
marsh & the timber is Oak —

West On true line between sec. 13 & 24
14.29 To a Swamp Ash corner on left bank
of the Kankakee river from which a
Maple 24 in. dia bears N 45 E 2 ths. dia,
La S. Ash 15 " " " N 53 E 61 " "
Land level & the timber is Oak Ash
& maple June 13th 1834 —

East On true line between sec. 13 & 24
13.97 To a W. Oak 10 in. dia, in the line,
16.04 " " Do. 18 " " " " "
22.10 " an Indian trail cor. N.E. & W.

93

T. 34 N. R. 3 W. 2nd Mer. Ind^a,

C.S.,
 22.50 Leave the grove
 37.00 Enter S. side of a small grove
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 22 in. dia. bears S 39 E 5 1/2 m. dist,
 & a B. Oak 24 " " " N 6 W 98 " "
 44.59 To the Right bank of River & set post,
 a W. Oak 22 in. dia. bears N 50 W 103 m.,
 & a Do. 20 " " " N 8 E 6 1/2 169 " dist,
 Land level mostly marsh & thudrate
 January 5th 1835. —

North Between sections 13 & 14
 40.00 Set the gr. sec. cor. post in marsh
 80.00 Set a post cor. to sec. 11, 12, 13 & 14 —
 an Aspen 8 in. dia. bears N 17 W 473 m.,
 & a Do. 8 " " " N 15 W 486 "
 Land is all marsh; & —

East On Random between sec. 12 & 13,
 61.20 To Mackinac creek 25 m. wide en. S. E.,
 78.98 To the Range 51 m. South of post,
 Land all a lobbly (swamp)

West Correct the line between sec. 12 & 13,
 39.49 Set the gr. sec. cor. post in swamp
 78.98 To the sections corner,

North Between sections 11 & 12,
 40.00 Set gr. sec. cor. post in ice,
 80.00 Set a post cor. to Sec. 1, 2, 11 & 12 in ice,
 Land all ice, —

East On Random between sec. 1 & 2,
 44.57 To Mackinac creek 25 m. wide en. S.,

T. 34 N. R. 3 W. 2nd, New Ind^a

61.50

66.00

78.66

Entered an Aspen & willow thicket
To the Range line, 10 M^s, N. of post,
Land is all a miserable quagg -

West

39.33

79.66

Correct the line between sec. 14 & 12
Set the gr. sec. cor. post in ice,
To the sections corner, (overrun!)

North

40.00

42.50

77.75

Between sections 14 & 2,
Set the gr. sec. cor. post in m^{ts}
To a trail cr. S. W.,
To the st. boundary, 132 M^s, E. of post,
where set post cor. to sec. 14 & 2,
a B. Oak 20 in. dia., bearing S 38 E 518 M^s,
+ a Do. 18 " " " S 68 E 554 "
Land level & 3rd rate, mostly covered
with ice. January 7th 1835,

North

9.17

29.40

40.00

48.00

61.00

80.00

Between sections 34 & 35,
To a W. Oak 28 in. dia., in the line
" " B. Oak 20 " " " "
Set the gr. sec. cor. post from which
a B. Oak 20 in. dia., bearing S 29 W 332 M^s,
+ a W. Oak 18 " " " S 77 E 36 " dia.,
Entered a marsh
Leave the Do. lying East,
Set a post cor. to sec. 26, 27, 34 & 35
a B. Oak 12 in. dia., bearing S 63 W 336 M^s,
+ a Hickory 9 " " " S 39 E 65 "
Land level & 3rd rate & the timber is
scattering Oak & Hickory &

East

10.50

On true line between sec. 26 & 35
To an Indian trail cr. N. & S,

95½

T. 34 N. R. 3 W. 2nd Mer. Ind.

C. L.

Bearing in a small bunch of timber
a B. Oak 12 in. dia. bears N 25 W 935 M. Ind.
Land all marsh but dryer than usual

East On Random between sections 14 & 23,
18.50 To an Indian trail cr. N & S,
80.04 " the sec line E boundary of sec 52 M.,
South of post. - Land all smooth
level marsh, ice thick in many places

West Correct the line between sec. 14 & 23
40.02 Set the gr. sec. post. in ice, no bearings,
80.04 To the Section corner,

North Between sections 14 & 15
20.00 To willow swamp mostly dead
37.00 " the W. point of a grove. 1 ch. E. of line
40.00 Set the gr. sec. cor. post. from which
a B. Oak 14 in. dia. bears N 44 E 309 M. Ind.
+ a Do. 19 " " " N 47½ E 346 " "
80.00 Set a post cor. to sec. 10. 11. 14 & 15
when raise a mound
Land level & third rate & dryer.

East On Random between sec. 11 & 14
18.00 Enter a grove
50.00 To a trail cr. N & S,
55.00 Leave the timber,
80.22 To the E. line of sec. 23 M. S. of post.
Land is level & 3rd rate & the timber is
oak & Hickory

West Correct the line between sec. 11 & 14
40.11 Set the gr. sec. cor. post. from which.

6.61 a B. Oak 22 in. dia. bears $N 4^{\circ} W 39$ Mts.
 & a No. 21 " " " $N 6^{\circ} E 72$ "
 80.22 To the sections corner,

North Between sections 10 & 11
 13.00 To the W. point of a Large pond
 40.07 Set the gr. sec. cor. post in ice,
 80.00 Set a post cor. to sec. 2 & 3. 10 & 11 in ice.
 Land all covered with ice,

East On Randome between sections 2 & 11
 80.50 To the E. line of sec. 12 M. S. of post,
 Land is all same as on last mile,

West Correct the line between sec. 2 & 11
 40.25 Set the gr. sec. cor. post in ice,
 80.50 To the sec. cor.,

North Between sections 2 & 3,
 27.50 To an Indian trail cor. S. E & N W,
 34.50 Enter timber
 35.59 To a B. Oak 20 in. dia. in the line,
 36.13 " " W. Oak 13 " " " "
 40.07 Set the gr. sec. cor. post from which
 a B. Oak 20 in. dia. bears $S 29^{\circ} W 20$ Mts.
 & a No. 18 " " " $N 61^{\circ} E 60$ "
 64.37 To a B. Oak 18 " " in the line,
 77.65 To the N. boundary of Town 49 Mts. E,
 of post, where set a post cor. to sec. 2 & 3,
 a W. Oak 18 in. dia. bears $S 61^{\circ} W 41$ Mts.
 & a B. Oak 20 " " " $S 10^{\circ} E 80$ " dit,
 Land 3/4 rate & the timbered part
 is rolling & sandy. & the timber is Oak
 & Hickory & some scattering Saplings,

T. 34 N. R. 3 W. 2^d Mer. Ind.^a

E. B. North	Between sections 33 & 34
40.00	Set the gr. sec. post in marsh
80.00	Set a post cor. to sec. 27, 28, 33 & 34 in marsh, all ground marsh
East	On Random between sec. 27 & 34
45.00	Entered a grove
80.44	To the E. line of sec. 15 W. S. of post, Land 3 ^d rate, on grove a little rolling & the timber is Oak, Hickory & B. Gum
West	Correct the line between sec. 27 & 34
40.22	Set a gr. sec. cor. post in marsh
80.44	To the section corner,
North	Between sec. 27 & 28,
15.00	To the W. point of timber
40.00	Set the gr. sec. cor. post in c.c.,
75.00	Entered a small grove lying E & W,
80.00	Set a post cor. to sec. 21, 22, 27 & 28, a B. Oak 20 in. dia, bearing N 55° E 7 W, & a W. Oak 11 " " " N 3 W 36 " dist Land third rate & nearly all marsh The timber on grove is Oak -
East	On Random between sec. 22 & 27,
21.50	Leave E. point of grove
43.00	Enter N. E. point of grove
63.50	Leave the grove
70.20	To a trail cor. N & S,
80.73	To the E. line of sec. 34 W. S. of post, Land level & 3 ^d rate & the timber is N. W. & B. Oak & Aspen & Hawthorn

S. 34 N. R. 3 W. 2nd Mer. Ind.

6.51
West Correct the line between sec. 22 & 24
40.36 $\frac{1}{2}$ Set the 2nd sec. cor. post from which,
a B. Oak 18 in. dia. bears S 94° W 125 $\frac{1}{2}$ ft.,
& a Do. 16 " " " S 40° E 159 "
80.73 To the sec. corner,

North Between sections 21 & 22
3.58 To a B. Oak 21 in. dia. in the line,
4.14 " a Do. 22 " " " " "
5.00 Leave the grove
28.50 Enter a small grove lying E & N,
40.00 Set the gr. sec. cor. post from which
a B. Oak 10 in. dia. bears N 75° E 95 $\frac{1}{2}$ ft.,
& a Do. 11 " " " N 84° E 140 "
40.50 Leave grove & take a fair shoot across
the grand marsh,
80.50 Set a post cor. to sec. 15, 16, 21 & 22 in
a real marsh. Land mostly marsh
& somewhat dry.

East On Random between sec. 15 & 22,
30.00 To a few trees
37.00 Leave the Do.
80.76 To the E. line 76 ft. S. of post,
Land is level & third rate.
a few Oak trees along line in places

West Correct the line between sec. 15 & 22
40.38 Set the gr. sec. cor. post from which
a B. Oak 10 in. dia. bears N 11° E 199 ft.,
& an Aspen 20 " " " N 65° E 3933 "
80.76 To the section corner,
This tier will diverge without any
good reason that I can see,

Co. L. It must I suppose be owing to local attraction. —

North Between sections 15 & 16 (Tav 4.45 E.)
 23.00 Entered willows
 40.00 Set the gr. sec. cor. post from which
 a Willow 3 in. dia. bears N 84° W 22th dist.,
 & a Do. 4 " " " N 30° E 39 " "
 80.00 Set a post cor. to sec. 9, 10, 15 & 16,
 a Willow 2½ in. dia. bears N 76° E 22th dist.,
 & a Do. 2 " " " S 4° E 22 " "
 Land nearly all a miserable swamp

East On Random between sec. 10 & 15
 53.00 Leave the willow marsh
 80.58 To the E. line of sec. 62th M. l. of post,
 Land is all same as on last mile,

West Correct the line between sec. 10 & 15
 40.29 Set the gr. sec. cor. post among willows
 too small & dead to be worth taking
 for bearing trees,
 80.58 To the section corner, Jan. 8th

North Between sections 9 & 10,
 16.00 Leave the Willow swamp
 40.00 Set the gr. sec. cor. post in marsh,
 46.50 Enter a small grove,
 57.94 To a B. Oak 22 in. dia. in the line,
 55.50 Leave the grove,
 80.00 Set a post cor. to sec. 3, 4, 9 & 10
 a B. Oak 23 in. dia. bears N 39° E 29th dist.,
 & a K. Oak 10 " " " N 4° W 168 " dist.,
 Land is level & third rate & mostly,

T. 34 N. R. 3 W. 2nd Mer. Ind^a

C. L. The timber is Oak Willow & a few
Aspen among the willow

East On Random between sec. 34 & 40
80.39 To the E. line of sec. 50 th. S. of post,
Land is all marsh,

West Correct the line between sec. 34 & 40
40.19 $\frac{1}{2}$ Set the gr. sec. cor. post from which
no bearing, being in marsh,
80.39 To the section corner,

North Between sections 34 & 44. (Var. 5 $^{\circ}$ E.)

1.50 Enter timbered land

10.02 To a W Oak 20 in. dia. in the line,

15.19 " " Do. 18 " " " " "

25.90 " " Do. 12 " " " " "

32.96 " " B. Oak 24 " " " " "

40.00 Set the gr. sec. cor. post from which
a W. Oak 30 in. dia. bears $S 22\frac{1}{3}^{\circ} W 166$ ths,
& a Do. 21 " " " $N 2\frac{1}{4}^{\circ} E 423$ "
on W. side of a small circular marsh

68.29 To a B. Oak 24 in. dia. in the line,

78.72 To the N. boundary at post, in 34 &
a B. Oak 10 in. dia. bears $S 22\frac{1}{2}^{\circ} W 52$ ths,
& a Do. 22 " " " $S 25\frac{1}{4}^{\circ} E 99$ "

Land level & Fertile soil sandy &
the timber is Oak January 10th 1835,

North Between sections 32 & 33,

3.00 Leave grove & take a fair shoot across

40.00 Set the gr. sec. cor. post, (= grand marsh)

80.00 Set post on to sec. 28, 29, 30 & 32 in. Do,
Land is all marsh —

T. 34 N. R. 3 W. 2nd Mer. Ind.^a

Co. L. East	On Random between sec. 28 & 33, 79.85 $\frac{1}{2}$ to the E. line of sec. 13 th. N. of post. Land is same as last mile only a little more so —
West 39.97 $\frac{1}{2}$ 79.85	Correct the line between sec. 28 & 33 set the gr. sec. cor. post. from which no bearings, ea. in marsh, $\frac{1}{2}$ to the sections corner,
North 40.00 80.00	Between sections 28 & 29, Set the gr. sec. cor. post. from which no bearings, in marsh, set a post cor. to sec. 20, 21, 28 & 29, a D. Oak 18 in. dia. bears N 15 E 51.5 th., La. Do. 18 " " " N 1 $\frac{1}{2}$ E away off Land all bull rush marsh,
East 74.00 79.69	On Random between sec. 21 & 28 Entered a grove, $\frac{1}{2}$ to the E. line of sec. 28 th. N. of post., Land nearly all marsh —
West 39.84 $\frac{1}{2}$ 79.69	Correct the line between sec. 21 & 28, set the gr. sec. cor. post. in marsh, $\frac{1}{2}$ to the sections
North 40.00 80.00	Between sections 20 & 21 Set the gr. sec. cor. post. from which no bearings — in c.c., — set a post cor. to sec. 16, 17, 20 & 21, in marsh, Land same as last,
East	On Random between Sec. 16 & 21

T. 34 N. R. 3 W. ^{2nd} Mer Ind. a.

6.26
79.93 To the E. line of sec. 20 1/2 mi. N. of post
Land all marsh

West Correct the line between sec. 16 & 21
39.96 Set the gr. sec. cor. post from which -
79.93 To the sec. corner, (in marsh
(see page 4.)

East On Random between sec. 16 & 9
33.00 Leave timber & enter Grand marsh
60.00 Enter a willow swamp
80.12 To the E. line of sec. 9 1/2 mi. N. of post,
Land is level & third rate & the
timber is Oak Hickory willow & aspen

West Correct the line between sec. 16 & 9
40.06 Set the 2nd sec. cor. post from which
no bearings - cor. in marsh
80.12 To the section corner, Aug. 9. 1835,

North Between sections 8 & 9
20.30 To a W. Oak 10 in. dia in the line,
27.70 " " B. Oak 16 " " " "
40.00 Set a gr. sec. cor. post from wh,
a W. Oak 10 in. dia, bears N 62° W 12 1/2 mi,
& a B. Oak 13 " " " N 32 3/4° E 57 " dia,
44.50 Enter a segment of a grand marsh
coming from the N. - West,
80.00 Set a post cor. to sec. 4 & 5. 819 ft
in marsh & no mound
Land timbered part a little rolling
marsh level & all third rate,

East On Random between sec. 4 & 9
17.5 To a stream 20 mi. wide cor. South

T. 34 N. R. 3 W. 2^d. New Ind.

6.00	To a stream 20 lks. wide en. N. E,
2.30	" the do " " " " South
2.75	This stream bores itself in grand - marsh & in so doing makes willow swamp S.E.
17.00	Leave leg marsh
30.00	To the E. skirt of a marsh en. N.W.
58.00	Leave the " do, & cut timber,
72.50	Leave the point of timber. Ent marsh
80.36	To the E. line of sec. 4 lks. S. of post Land is same as on last mile

Must correct the line between sec. 4 & 9
 40.18 Set the gr. sec. cor. post from which
 no bearings, in marsh & no mound
 80.36 To the section's corner,

North Between sections 4 & 5,
 6.00 To a stream 18 lks. wide en. S. E,
 26.50 Leave the leg of grand marsh
 40.00 Set the gr. sec. cor. post in marsh
 a W. Oak 11 in. dia. bearing S 15° W 28 lks. dist,
 & a do. 10 " " " S 65° E 33 " "
 57.60 Leave a small marsh
 77.00 Enter a marsh
 78.81 To the N. boundary 10 lks. N. of post,
 where set a post cor. to sec. 4 & 5,
 a W. Oak 28 in. dia. bearing S 61½° W 19 lks.
 & a do. 18 " " " S 21° W 22 lks.
 January 10th 1835. —

North Between sections 31 & 32,
 40.00 Set the gr. sec. cor. post from which
 no bearings — being in marsh
 80.00 Set a post cor. to sec. 29, 30, 31 & 32
 Land wet & marshy —

Co. L,
North Between sections 16 & 17. (See page 2.)
40.00 Set the gr. sec. cor. post from which
a W. Oak 12 in. dia. bears N 72° W 298 ft.,
to Do, 18. " " N 40° W 274 ft.
43.50 Leave the grand marsh & Ent. timber,
43.68 To a W. Oak 13 in. dia. in the line,
49.48 " a B. Oak 20 " " " " "
76.48 " a W. Oak 12 " " " " "
80.00 Set a post cor. to sec. 8, 9, 16 & 17,
a W. Oak 9 in. dia. bears N 58° E 5 ft.,
to Do, 10 " " " S 22° W 58 ft.
Land is level & third rate & the timber is Oak,
Oak & Hickory &c. (= mistake)
This line was omitted in proper place through-
~~East On Random between sec. 9 & 16,~~
33.00 ~~Leave the timber & Enter grand marsh,~~
60.00 ~~Enter a willow swamp~~
80.12 ~~To the E. line of sec. 9 1/4 mi. N. of post,~~
~~Land level & 3rd rate & the timber is Oak,~~
~~Hickory, Willow & Aspen &c.~~

East On Random between sec. 29 & 32
79.89 To the E. line of sec. 46 1/4 mi. S. of post
Land &c. is same as on last mile,

West Correct the line between sec. 29 & 32
39.94 Set the gr. sec. cor. post from which
no bearings are given
79.89 To the section corner,

West On Random between sec. 30 & 31
81.57 To the W. boundary 1 1/4 mi. S. of post,
Land all a thundering marsh

T. 34 N. R. 3 W. 2nd, Now. Ind.^a

6.25 East	Correct the line between sec. 30 & 31
41.57	Set the gr. sec. cor. post. in the marsh
81.57	To the section corner,
North	Between sections 29 & 30,
40.07	Set the gr. sec. cor. post. in marsh,
80.00	Set a post cor. to sec. 19, 20, 29 & 30, in marsh & no mound, Land is same as last mile,
East	On Random between sec. 20 & 29
80.24	To the E. line of sec. 59 th. S. of post. Land is level & third rate & all marsh
West	Correct the line between sec. 20 & 29
40.12	Set the gr. sec. cor. post. in marsh,
80.24	To the section corner,
West	On Random between sec. 19 & 30
35.00	Touched the S. side of a grove,
81.40	To the W. boundary, at the post, no bearings E. of line, Land same as on last line,
East	Walked back between sec. 19 & 30
41.40	Set the gr. sec. cor. post. from which a B. Oak 10 in. dia. bears N 76° E 526 th., & a Do. 10 " " " N 85° E 529 "
81.40	To the section corner,
North	Between sections 19 & 20,
40.00	Set the gr. sec. cor. post. in marsh bearing - a lone tree! a B. Oak 22 in. dia. bears N 98° W. 286 th.,

T. 34 N. R. 3 W. 2nd Mer. Ind.

C. L.

80.00 Set a post cor. to sec. 17, 18, 19 & 20.
in marsh. Land all marsh as usual

East On Random between sec. 17 & 20
80.70 To the E. line of sec. 47 1/2 mi. S. of post
Land same as on last mile,

West Correct the line between sec. 17 & 20
40.35 Set the gr. sec. cor. post in marsh
80.70 To the section corner,
July 11, 1835, —

West On Random between sec. 18 & 19
9.00 Reached S. side of grove
30.00 Enter a marsh again,
60.00 Leave the do. & enter timber
80.71 To the W. boundary, 15 mi. N. of post,
no bearings convenient on E. side of
line. Land level & 3rd rate & mostly
marshy. The timber is Oak & Hickory,

East Correct the line between sec. 18 & 19
8.90 To a B. Oak 18 in. dia. in the line,
40.71 Set the gr. sec. cor. post from which
a B. Oak 24 in. dia. bears S 82 E 510 mi,
& a W. Oak 12 " " " East 71.
80.71 To the section corner,

North Between sections 17 & 18,
16.50 Enter a grove
22.98 To a B. Oak 20 in. dia. in the line,
34.93 " " W. Oak 19 " " " " "
40.00 Set the gr. sec. cor. post from wh,
a B. Oak 18 in. dia. bears N 57 W 99 mi,

T. 34 N. R. 3 W. 2nd Mer. Ind.

61.06

To a W. Oak 10 in. dia, bears S 58 E 58 1/2 Ch. dist,

66.47

To a B. Oak 20 " " in the line,

72.00

Enter a skirt of grand marsh

80.00

Set a post cor. to sec. 7, 8 & 17 & 18.

a Red Oak 10 in. dia, bears N 88 W 54 1/2 Ch.

To a Do. 10 " " " S 87 W 49 1/2 "

Land level & 3^d rate & mostly marsh

East On Random between sec. 8 & 17

22.00 Leave skirt of marsh

37.67 To an Indian trail en. N & S,

81.04 To the E. line of sec. 62 Ch. S. of post,

Land nearly & 3^d rate Oak & Hickory

West Correct the line between sec. 8 & 17

40.52 Set the gr. sec. cor. post from which

a W. Oak 18 in. dia, bears N 58 E 31 1/2 Ch. dist,

To a Do. 14 " " " S 22 E 54 " "

81.04 To the section corner,

West On Random between sec. 7 & 18,

5.00 Leave the marsh

50.00 Enter a Do.

80.80 To the W. boundary, 51 Ch. S. of post,
no bearings on E. side of line,Land nearly level, 3^d rate & Oak, timber,

East Correct the line between sec. 7 & 18,

40.80 Set the gr. sec. cor. post from which

a B. Oak 18 in. dia, bears N 85 W 22 Ch.

To a W. Oak 8 " " S 42 E 19 "

64.25 To a W. Oak 12 " " in the line,

80.80 " the section corner,

T. 34 N. R. 3 W, 2nd Mer. Ind.ⁿ

C. L.

North Between sections 7 & 8

- 40.00 Set the gr. sec. cor. post from which
a W. Oak 20 in. dia. bears N 48° E 140 yds.,
- 80.00 Set a post cor. to sec. 5, 6, 7 & 8, fr. wh.,
a B. Oak 24 in. dia. bears S 29° E 414 yds. int.
Land is all marsh —

East On Random between sec. 5 & 8,

- 25.00 Enter timbered land
- 55.70 To a trail course N, P, S,
- 70.00 Enter a marsh
- 80.95 To the E. line of sec. 7, 6, 1/2 mi. S of post
Land all level 3rd rate Oak timber,

- West Correct the line between sec. 5 & 8,
- 40.39 1/2 Set the gr. sec. cor. post from which
a W. Oak 10 in. dia. bears N 6 1/2° W 39 yds. int.,
+ a Do. 12 " " " N 63 1/2° E 32 " "
- 80.95 To the section corner,

West On Random between sections 6 & 7

- 62.00 Enter scattering timber
- 80.77 To the W. boundary, 69 yds. N. of post
a B. Oak 12 in. dia. bears S 39° E 73 yds.,
+ a Do. 10 " " " N 23° E 153 "
- Land level 3rd rate & mostly marsh

East Correct the line between sec. 6 & 7

- 5.29 To a B. Oak 12 in. dia. in the line,
- 40.77 Set the gr. sec. post in line,
- 80.77 To the section corner,

North Between sections 5 & 6,

- 40.00 Set the gr. sec. cor. post in marsh,

T. 34 N. R. 3 W. 2nd Mer. Ind.^a

Co. B,
79.08 To the N. boundary, 99 lbs. West of post,
where set a post. Cor. to sec. 5 & 6,
a W. Oak 18 in. dia. bears S 73 E 308 lbs,
La. Do. 18 " " S 76 E 310 "
Call in, January 12th 1835,

Mandering of the Sauk River,
Begin at a post on the Left bank
in South Boundary, thence up stream
Course Co. D, in sec. 35. Left bank
N 69 E 36.05 To high bank
N 47 E 9.00
N 61 E 29.63 To line between sec. 25 & 36,

N 79 E 50.00 In sec. 36
N 62 E 16.00
N 36 E 10.00
N 26 E 24.47 To corner of sec. 25 & 36 on E. boundary,

N 2 W 13.00 In sec. 25
N 26 W 9.00
N 42 W 23.00
N 7 W 10.00
N 72 W 11.00
N 46 W 14.00
N 39 E 19.10 To line between sec. 24 & 25

N 7 E 20.00 In sec. 24
N 36 E 18.00
N 18 E 48.07 To line between sec. 13 & 24

N 23 E 7.00 In sec. 13,
N 9 E 13.00
N 19 E 23.00

110

T. 34 N. R. 3 W. 2nd New Ind. a.

Comm. C. L. Meanders Continued,

N 2 E 20.00

June 19th 1834,

N 8 E 4.07

To post in E. boundary,

Begin at post in Right bank
of Kankakee river in S. boundary,
up stream, in sec. 35,

N 1 W 31.50

N 48 E 28.00

N 18 E 26.00

N 2 E 5.53

To line of sec. 26 & 35,

N 45 W 10.00

In sec. 26,

N 3 E 11.50

N 43 E 17.50

N 29 E 11.00

N 21 E 26.00

N 44 E 10.00

N 29 E 9.26

To line between sec. 23 & 26,

N 42 E 13.51

In sec. 23 - To line between sec. 23 & 24

N 34 E 60.00

In sec. 24

N 9 E 19.00

N 39 E 6.48

To line between sec. 13 & 24

N 39 E 3.02

In sec. 13,

N 23 E 7.50

N 8 E 38.00

N 40 E 33.50

N 15 E 8.11

at 2.96 Mackinac ck. 54 lbs. wide fr. N,

To post in E. boundary
January 6th 1835,

There is but little room left for general
remarks on this township. There is such

T. 34 N. R. 3 W. 2nd Mer. Ind.^a

an undulating surface of marsh interspersed with a few groves of timber that there is nothing upon which to depend from the monotony of Lamentation,

There is according to my judgment iron ore in this Township: but I am not mineralogist enough to say positively in what quantity, it exists if at all.

I hereby certify that in pursuance of a contract with Marcus L. Williams Surveyor General of the U. States for the States of Ohio, Indiana & Mich. Terr. dated 29th of March 1834 & in strict conformity to the laws of the U. States & the instructions of said Sur. Genl, I have surveyed & subdivided into sections, Township 34 N. Range 3rd West of 2nd Mer. Indiana, & I do further certify that the foregoing are the true & original field notes of said survey & subdivision, executed as aforesaid, Certified this 15th day of January 1835,

Thos. Smith Dep. Sur,
Stansbury Long & Hiram Boyett, Chain-
men. & George Wallbridge Marker,

T. 34 N. R. 3 W. 2nd. New. Ind.^a

I certify that the foregoing transcript
of field notes of Township 34 North
Range 3 West, 2nd. New. Indiana, has
been compared with the original in
this office & found to be correct.

C. S. Haines
Sur. Genl.

Surveyor General's office,
Cincinnati, March 31st 1842.